



## Luminaire



# Huge

191-250K-10GEE/830, S



A round luminaire with an aluminium profile with a height of 87 mm and an excellent luminous efficacy of up to 145lm/W. A 'huge' family not only in name, but in function and dimension, with a diameter of up to 1150 mm. Flush-mount and pendant luminaires as basic lighting for commercial and residential spaces at an affordable price. Thanks to their sophisticated technology, the luminaires cause no glare, and the lighting adjusts to smaller or larger commercial spaces. Combine seven different dimensions of this model or with Puri and Rundo luminaires. Choose from Huge luminaires with a PMMA opal diffuser or a micro-prismatic optical structure.

## Technical drawing



Type of installation	Surface, Wall mounted
Light distribution	Direct
Luminaire shape	Circular
Colour of the luminaires	Silver
Material	Aluminium
Lifetime	L80/B20 50 000 hours
Warranty	60 months
Description of luminaires	Luminaire surface/wall mounted
Dimensions	ø 500 mm × 87 mm
Weight	5.8 kg
Light source	LED MODUL
Type of optical system	Opal diffuser
Luminous flux	3580 lm ± 10 %
Colour Temperature	3000 K warm white
MacAdam Light source	3
Colour rendering index	80
UGR max. X=4H Y=8H, ρ=70,50,20	22.5

## Curve



Luminaire power input 29.3 W ± 10 %

Connection of the luminaires Electronic ballast non-dimmable

Electrical voltage 220-240V

Frequency 50-60Hz

⊕ CE IP 40

## Downloads

Installation instructions



Photos

