



## Luminaire

# Basi

70-003S-10GGE/840, W



We simply classify the Basi family of luminaires as follows - they have perfect light parameters and contain special sources. The high brightness of the LED with color rendering of  $Ra > 80$  or  $Ra > 90$  perfectly illuminates the required object. That's why Basi can be used mainly in shopping centers, store-front windows, cultural spaces or car shows.

## Technical drawing



Type of installation	Recessed
Light distribution	Direct
Luminaire shape	Circular
Colour of the luminaires	White
Material	Sheet metal
Lifetime	L80/B10 50 000 hours
Warranty	60 months
Description of luminaires	Luminaire recessed
Dimensions	ø 162 mm × 90 mm
Weight	0.72 kg
Light source	LED MODUL
Type of optical system	Reflector
Luminous flux	2020 lm ± 10 %
Colour Temperature	4000 K cool white
Luminous efficacy test	133 lm/W
MacAdam Light source	3
Colour rendering index	80
Beam angle	24°
UGR max. X=4H Y=8H, $\rho=70,50,20$	15.1

## Curve



Luminaire power input 15.2 W  $\pm$  10 %

Connection of the luminaires Electronic ballast non-dimmable

Electrical voltage 220-240V

Frequency 50-60Hz

  IP 20

## Downloads

Installation instructions



Photos

