

Luminaire

Global Trac on/off

wl-XTS4X00-X, X



Type of installation	Surface, Suspended
Light distribution	Direct
Luminaire shape	Linear
Colour of the luminaires	White
Material	Aluminium
Warranty	24 months
Description of luminaires	Luminaire surface/suspended
Dimensions	1000 mm × 32 mm × 33 mm
Electrical voltage	230V/400V
Frequency	50-60Hz

CE IP 20

Accessories



00-00300, N
wire suspension
2000mm



00-00301, N
wire suspension
4000mm



00-00302, N
wire suspension
6000mm



00-00363, K
cable 5x1,5 2000mm



00-00364, K
cable 5x1,5 4000mm



00-00365, K
cable 5x1,5 6000mm




00-00370, B
ceiling cup 80x80x32mm




00-00370, S
ceiling cup 80x80x32mm




00-00370, W
ceiling cup 80x80x32mm




SKB10-1, grey
Track clamp, grey




SKB10-2, black
Track clamp, black




SKB10-3, white
Track clamp, white




SKB12-1, grey
Track clamp, grey



SKB12-2, black
Track clamp, black



SKB12-3, white
Track clamp, white



XTAK11-1, grey
Hook, grey




XTAK142-1, grey
Hook Base, grey




XTAK142-2, black
Hook Base, black




XTAK142-3, white
Hook Base 2mm wire,
white




XTS11-1, grey
End feed, grey




XTS11-2, black
End feed, black




XTS11-3, white
End feed, white




XTS12-1, grey
End feed, grey




XTS12-2, black
End feed, black




XTS12-3, white
End feed, white




XTS14-1, grey
Middle feed, grey




XTS14-2, black
Middle feed, black




XTS14-3, white
Middle feed, white




XTS21-1, grey
Straight connector, grey




XTS21-2, black
Straight connector,
black




XTS21-3, white
Straight connector,
white




XTS24-1, grey
Adjustable corner
connector, grey




XTS24-2, black
Adjustable corner
connector, black




XTS24-3, white
Adjustable corner
connector, white




XTS34-1, grey
L-feed, grey




XTS34-2, black
L-feed, black




XTS34-3, white
L-feed, white




XTS35-1, grey
L-feed, grey




XTS35-2, black
L-feed, black




XTS35-3, white
L-feed, white




XTS36-1, grey
T-feed, grey




XTS36-2, black
T-feed, black




XTS36-3, white
T-feed, white




XTS37-1, grey
T-feed, grey




XTS37-2, black
T-feed, black




XTS37-3, white
T-feed, white




XTS38-1, grey
X-feed, grey




XTS38-2, black
X-feed, black




XTS38-3, white
X-feed, bilá




XTS39-1, grey
T-feed, grey




XTS39-2, black
T-feed, black




XTS39-3, white
T-feed, white



XTS40-1, grey
T-feed, grey



XTS40-2, black
T-feed, black



XTS40-3, white
T-feed, white




XTS41-1, grey
End Cap, grey



XTS41-2, black
End Cap, black



XTS41-3, white
End Cap, white



XTS4100-1, grey
linear track 1m, grey



XTS4100-2, black
linear track 1m, black




XTS4100-3, white
linear track 1m, white




XTS4200-1, grey
linear track 2m, grey



XTS4200-2, black
linear track 2m, black



XTS4200-3, white
linear track 2m, white



XTS4300-1, grey
linear track 3m, grey



XTS4300-2, black
linear track 3m, black




XTS4300-3, white
linear track 3m, white



XTS4400-1, grey
linear track 4m, grey



XTS4400-2, black
linear track 4m, black



XTS4400-3, white
linear track 4m, white